

ORDINARY WORK PROCEDURE

FOAM PROBE CLEANING



CODICE: ECOPWO-004-EN-R20.0

WRITTEN IN ENGLISH



Note: this procedure, provided free of charge, can be changed by Ecoteam at any time without giving information or disclosure, so you are asked to check and possibly download the latest version.

ASSUMPTION:

This procedure is intended to provide information on foam probe cleaning.

It remains the obligation of the D.L. risk assessment

FIELD OF APPLICATION

ECOCV equipment
Foam probe cleaning [SS0x].

CONTACT THE ASSISTANCE SERVICE

Manufacturer	Ecoteam S.p.A.
Adress	Via del Padule, 23/F 50018 Scandicci – Firenze – ITALIA
P.IVA	03984330484
Phone	+39 055 73 555
Fax	+39 055 73 55 55 00
Internet web side	www.ecoteam.it
E-mail	info@ecoteam.it
PEC	ecoteamspa@legalmail.it

Tabella 1 “ECOTEAM spa - info”

REVISION LIST

Revisione	Data	Note
20.0	1/1/2020	

Tabella 2 "Revision List"

DISTRIBUTION LIST

Name	Job	Date	Signature

Tabella 3 "Distribution list"

SUGGESTED SPECIAL TOOLS

Means of access

Means of access to be evaluated according to the specific situation



FOAM PROBE CLEANING



- | | |
|--------------------------------------------------|--|
| 1. Remove the probe from the housing | |
| 2. Clean the probe with a soft cloth | |
| 3. Check that the probe is clean and not damaged | |
| 4. Wash the probe with demineralized water | |
| 5. If the probe is damaged, replace it | |
| 6. Insert the probe in the specific housing. | |

Technical note:

If the replace operation is frequent, it is necessary to check the reasons.

	DANGER: pollution
	Dispose used probes according to local regulations